

COAX BIOREMEDIES PVT. LTD

PLOT NO 83, SEC-28, INDUSTRIAL AREA, HISAR 125044 (HARYANA)

MFG. LIC NO.- 604-B(H) & 967-OSP(H)

DEPARTMENT- QUALITY
CONTROLRECORD OF ANALYSIS-
FINISHED PRODUCTS**CERTIFICATE OF ANALYSIS**

CERTIFICATE NO: ARFP/10-666A/23-24

DATE OF ANALYSIS:24-10-23

PRODUCT: CPM INJ 1.0ML

DATE OF RELEASE:07-11-23

GENERIC NAME: CHLORPHENERAMINE MALEATE INJ I.P VET

LABEL CLAIM:10MG/ML

BATCH NO: EE-293

MFG DATE: OCT/2023


BATCH SIZE: 52 LIT

EXP DATE: SEP/2025


S.NO	TEST	SPECIFICATION	RESULTS	
1	DESCRIPTION	CLEAR COLOURLESS SOLUTION SHOULD BE FILLED IN AMBER GLASS AMPOULES.	CLEAR COLOURLESS SOLUTION SHOULD FILL IN AMBER GLASS AMPOULES.	
2	IDENTIFICATION	SHOULD COMPLY WITH STATED SPECIFICATIONS	COMPLIES	
3	pH	BETWEEN 4.0 TO 5.2	4.64	
4	EXTRACTABLE VOLUME	NOT LESS THAN THE NOMINAL VOLUME	1.03ML	
5	BACTERIAL ENDOTOXIN	NMT 8.8 EU/MG OF CHLORPHENIRAMINE MALEATE	< 8.8 EU/MG OF CHLORPHENIRAMINE MALEATE	
6	RELATED SUBSTANCE	SHOULD COMPLY WITH STATED SPECIFICATIONS	COMPLIES	
7	PARTICULATE MATTER			
	VISIBLE PARTICLES	SOLUTION SHOULD BE FREE FROM PARTICULATE MATTER VISIBLE TO UNAIDED EYES.	COMPLIES	
8	STERILITY	SHOULD PASS THE STERILITY TEST	COMPLIES	
9	ASSAY	LIMITS	RESULT	CLAIM
	EACH ML CONTAINS: CHLORPHENERAMINE MALEATE I. P	NLT 90% AND NMT 110% THE LABELLED AMOUNT OF CHLORPHENERAMINE MALEATE	10.008MG 100.08%	10.0MG/ML

REMARK: THE PRODUCT COMPLIES FOR (I.P. 2022 VET) SPECIFICATION.**STORAGE:** STORE PROTECTED FROM LIGHT.

ANALYSED BY


 07/11/2023

Q.C INCHARGE


 07/11/2023