

# CAREWIN PHARMACEUTICALS (GUJ.) PVT. LTD.

Moraiya

## QUALITY CONTROL DEPARTMENT

THE DRUGS & COSMETIC ACT 1940 & THE RULES THERE UNDER FROM 39/RULE 150-E/F

### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>PRODUCT NAME</b> : INJ. OF CALCIUM GLUCONO- GALACTO -GLUCONATE..10ML ( CALCIGLU )	<b>AR.NO.</b> : F/576/23
<b>PACKING</b> : 10 ML	<b>DATE OF REPORT</b> : 18/12/2023
<b>GENERIC NAME</b> : CALCIUM GLUCONO GALACTO GLUCONATE	<b>ADVICE SHEET NO</b> : 576
<b>BATCH NO.</b> : 320	<b>DATE OF RECEIPT</b> : 11/12/2023
<b>BATCH SIZE</b> : 225.0 LITS	<b>MFG DATE</b> : 12/2023
<b>SAMPLE SIZE</b> : 50 AMPS + 10 AMPS	<b>EXP DATE</b> : 11/2025
<b>TEST AS PER</b> : SPECIFICATION	<b>MFG LIC NO</b> : G/984
<b>MANUFACTURED ON BEHALF OF M/S. SELF</b>	<b>FILLED QTY</b> : 22025 AMPS

Sr. No.	TEST	RESULT	SPECIFICATION
1)	Description	A Clear and colourless liquid.	Clear and colourless solution.
2)	Particulate matter	Passes the test	Liquid should be clear and free from any visible foreign particles.
3)	Extractable Volume	10.01 ml	NLT 10.0 ml.
4)	pH	6.40	6.0 to 8.2
5)	Identification	Complies the test	Complies the test
6)	Assay:- Calcium Glucono-Galacto Gluconate	Each ml contains 133.856 mg	i.e.% 97.35 %
7)	Sterility	Passes the Test Vide A.R. No. ST/596/23 Dt.: 18/12/2023	No sign of Growth of bacterial or Fungi during 7 days.
8)	B.E.T. Test	Passes the test vide A. R. No. BT/799/23 Dt.: 11/12/2023	Complies the test

CONCLUSION: - The Product is Complies With Standard Quality Measures As per I.H.S. – SPECIFICATION.

DATE: 18/12/2023

  
Analyst

