



VELLINTON HEALTHCARE

(Earlier Known as Texus Meditech)

Village Rampur Jattan, Trilokpur Road, Kala Amb, Dist. Sirmour-173030. HP

QUALITY CONTROL DEPARTMENT

CERTIFICATE OF ANALYSIS

Product Name : Ascorcan Ascorbic acid Injection IP	
Batch No. : GL23L-01A	Mfg. Date : 12/2023
Batch Size : 2080 Vials	Exp. Date : 11/2025
Sample Qty. : 50 vials.	Analytical Report No.: LFP20230092
Date of Receiving : 02/12/2023	Date of Completion : 16/12/2023
Mfg. License No. : N-MB/18/201	

S. No.	Tests	Specifications	Observations		
1.	Description	A clear colourless liquid solution filled in 6 ml amber color glass vial.	A clear colourless liquid solution filled in 6 ml amber color glass vial.		
2.	Identification				
	A. By Chemically	A transient blue colour is produced.	Complies		
	B. By Chemically	The deep blue color becomes appreciably lighter or is completely discharged within 3 min.	Complies		
	C. By flame	An intense yellow color to a nonluminous flame.	Complies		
3.	Uniformity of filled volume	Not less than nominal volume	Min: 6.0 ml Max: 6.1 ml		
4.	Average fill volume	Not less than 6 ml	6.03 ml		
5.	pH	Between (5.50 to 7.0)	5.98		
6.	Oxalic Acid	No turbidity is produced within 1 min.	Complies		
7.	Particulate Matter				
	≥ 10µm	NMT 6000 particles/container	Less than 6000 particles/container		
	≥ 25µm	NMT 600 particles/container	Less than 600 particles/container		
8.	Sterility	Should be Sterile	Sterile		
9.	Bacterial Endotoxin	NMT 1.2 Eu/mg of Ascorbic acid.	Less than 1.2 Eu/mg		
10.	Assay : Each ml contains:-				
Composition:		Labeled Claim	Found	% of labeled amount	Limit: % of labeled amount
Ascorbic Acid IP		250.0 mg	245.93 mg	98.37 %	95.0% to 115%

Remarks: In the opinion of the undersigned the sample submitted complies/~~does not comply~~ with the Prescribed ~~standard~~/not standard of quality, as according to I.P. and IHS with respect to the above test only.

Analyzed By QC Officer	Checked By QC Executive	Approved By QC Manager/ In-charge
Signature:- Date:- 16/12/2023	Signature:- Date:- 16/12/2023	Signature:- Date:- 16/12/2023

Format No.: VH/SOP/QC-062/FT01-00