

M/S IVM PHARMACIA Plot No. 05, Industrial Township, Bhatoli- Kalan, Baddi (H.P.) -173205 CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

		Q	UALITY CONTROL DEP	ARTMENT	
PRODUCT NAME		PARACETAMOL INFUSION (1.0%w/v)		BATCH NO.	IK23322
GENERIC NAME		PARACETAMOL INFUSION (1.0%w/v)		A. R. NO.	QC/FP/23/1354
MFG. DATE		12/2023		PRODUCT CODE	K
EXP .DATE		11/2025		BATCH SIZE	1500 LTR
SAMPLE SIZE		27 X 100 ML		PACK SIZE	100 ML
DATE TEST STARTED		14/12/2023		DATE TEST COMPLETED	28/12/2023
MFG. LIC. NO.		LVP/18/09		SPECIFICATION NO.	FPS/F025-02
S.NO.	TES	Г	OBSERVATION	SPECIFICATION	
1	Description		A clear colorless solution	A clear colorless solution.	
0			Dringinle neek in ecces	the princip	le neak in the

1	Description	A clear colorless solution	A clear colorless solution.	
2	Identification	Principle peak in assay solution is corresponds to principle peak in reference solution	In the assay, the principle peak in the chromatogram obtained with test solution corresponds to that in the chromatogram obtained with reference solution.	
3	pH	6.06	4.5 to 6.5	
4	Light absorption	0.0021	The absorbance of infusion at 500 nm is not more than 0.04.	
5	Related Substances	0.001% ND - 0.018%	4 Amino phenolNMT 0.1% 4 ChloroacetanilideNMT 10 ppm Any other secondary peakNMT 0.25%	
6	Extractable volume	102 ml	Not less than nominal volume	
7	Bacterial Endotoxins Test	Less than 2.0 EU/ml	Not more than 2.0 EU/ml of Paracetamol	
8	Sterility	Sterile	No growth observed during incubation period of 14 days.	
9	Particulate Contamination	33.33 particles/container 6.67 particles/container	≥ 10 μ m Not more than 6000 particles/ container. ≥ 25 μ m Not more than 600 particles/ container.	
10	Assay Each 100ml contains: Paracetamol BP1000mg	1006.19 mg/100ml (100.6%)	900.0 mg to 1100.0 mg/100 ml (90.0 % to 110.0 % of label claim)	
	Mannitol BP5.0%w/v	5.09 % w/v (101.8 %)	4.50 % w/v to 5.50 % w/v √90.0 % to 110.0 % of label claim) P/RP/USP specification or external lab	

Remark: The above sample complies / does not comply as per IH/ IP/BP/USP specification or external lab analysis report. ND : Not Detected

	ANALYSED BY	CHECKED BY	APPROVED BY	
Signature/ Date	Bury 38/1712-3	28/12/23		
-	Officer-QC	Executive-QC	Quality Head	
	1/500.00		Page No. 1 of 1	