



# VELLINTON HEALTHCARE

(Earlier Known as Texus Meditech)

Village Rampur Jattan, Trilokpur Road, Kala Amb, Dist. Sirmour.

## QUALITY CONTROL DEPARTMENT


### CERTIFICATE OF ANALYSIS

<b>Product Name</b> : TRICANORT 40 Triamcinolone acetonide Injection IP	
<b>Batch No.</b> : L24A-05B	<b>Mfg. Date</b> : 01/2024
<b>Batch Size</b> : 24235 Vials	<b>Exp. Date</b> : 12/2025
<b>Sample Qty.</b> : 50 Vials	<b>Analytical Report No.:</b> YFP20240008
<b>Date of Receiving</b> : 06/02/2024	<b>Date of Completion</b> : 20/02/2024
<b>Mfg. License No.</b> : N-MB/18/201	

S. No.	Tests	Specifications	Observations		
1.	Description	A white colour liquid suspension filled in transparent glass vial.	A white colour liquid suspension filled in transparent glass vial.		
2.	Identification				
	A. By IR	Compare the spectrum with that obtained with triamcinolone acetonide RS or with the reference spectrum of triamcinolone acetonide.	Complies		
	B. By TLC	The principal spot in the chromatogram obtained with solution (3) appears as a single, compact spot.	Complies		
3.	Uniformity of filled volume	Not less than nominal volume	Min: 1.0 ml Max: 1.1 ml		
4.	Average fill volume	Not less than 1 ml	1.05 ml		
5.	pH	Between (5.0 to 7.50)	7.17		
6.	Related substances				
	The area of any secondary peak	NMT 0.2 %	Not detected		
	The sum of the area of all the secondary peaks	NMT 0.8 %	Not detected		
7.	Sterility	Should be Sterile	Sterile		
8.	Bacterial endotoxins	NMT 4.4 Eu/mg	Less than 4.4 Eu/mg		
9.	Assay : Each ml contains:-				
Composition:		Labeled Claim	Found	% of labeled amount	Limits % of labeled amount
Triamcinolone acetonide IP		40.00 mg	40.63 mg	101.58 %	90.0% to 110%

**Remarks:** In the opinion of the undersigned the sample submitted complies/~~does not comply~~ with the prescribed standard/~~not standard~~ of quality, as according to I.P. and IHS with respect to the above test only.

Analyzed By QC Officer	Checked By QC Executive	Approved By QC Manager/In-charge
Signature:- Date:-	Signature:- Date:-	Signature:- Date:-



Format No.: VH/SOP/QC-062/FT01-00