SALUS

SALUS PHARMACEUTICALS

480/211, Vill. Harraipur, P.O. Gurumajra, Nalagarh Road Baddi -173205 QUALITY CONTROL DEPARTMENT

CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

Mfg. License No.: MDID/07/2020/ACT PRODUCT)

Product Name Prozean-DSR Concules					
	Prozcan-DSR Capsules	A D M-	Т==		
Generic Name	Pantoprazole Enteric coated and Domperidone		FP032404093		
//	Sustained B. 1	Batch Size	3.0 lac		
Batch No:	Sustained Release Capsules IP	•	3.0 lac		
	SPC240414A	+			
Mfg. Date	03/2024	Sample Qty.	60 Capsules		
Exp. Date		Sampled By	Shyam		
[02/2026				
Mfd. By	Salus Pharmaceuticals	Date of Sampling	09/03/2024		
l		Date of Completion	12/03/2024		

RESULT OF ANALYSIS

S.No.	Troop p 4	RESULT OF ANALYSIS	
		SPECIFICATION	DECLIE OF
01.	Description	Pink colour cap and transparent	RESULT
		body, cylindrical shape, hard	Pink colour cap and transparent
1		gelatin capsules filled with multi	body, cylindrical shape, hard
		colour pellets	gelatin capsules filled with multi colour pellets
02.	Identification	To be comply	
03.	Average weight	360.0mg ±7.5%w/w	Complies
04.	Average fill weight	300.0mg ±7.5%w/w	360.13mg
05.	Uniformity of filled weight	300.0mg ±7.5%W/W	297.19mg
06.	Disintegration	300.0mg ±7.5%w/w	+5.11% to -3.66%
07.	Dissolution Test (Domperidone)	NMT 30 Minutes	9min, 11 sec.
. ,	After 1st Hour	150/	
,	After 4th Hour	15% To 40%	32.94%
	After 8 th Hour	30% to 60%	47.85%
ſ	After 12 th Hour	55% to 85%	65.72%
08.	Dissolution:	Not Less than 70%	77.83%
00.	Pantoprazole sodium		77.0570
	In 0.1M HCl for 2 hours	Not more than 10%	3.28%
	Tris-acetate buffer solution		
.	pH 6.8 for 45 minutes	Q. Not less than 70.0%	81.29%
09.	Assay: - Each hard gelatin capsule Cont	aine	
	Pantoprazole sodium IP		
	Eq. To Pantoprazole 40 mg	36.0mg to 44.0mg	39.34mg
	(as enteric coated pellets)	(90.0% to 110:0%)	(98.35%)
	F/	·	
· [Domperidone IP 30 mg	27 0mg to 22 0	·
	(as sustained release pellets)	27.0mg to 33.0mg (90.0% to 110.0%)	29.18mg
		(70.070 to 110.0%)	(97.26%)

Remark: In the opinion of undersigned the sample referred to above is of Standard Quality/Not standard quality as defined in the Act and rules made there under for reason(s) given below complies with above test IP/BP/USP7 In-House

S. No.	Analysed By	Checked By	
Designation	Q.C. Chemist	SR.QC Executive	Approved By
Sign. & Date	47-	Moletana	QC Manager
	12/03/2024	1202021	12/02/24
	17(0)	12(05)	