



# VELLINTON HEALTHCARE

(Earlier Known as Texus Meditech)

Village Rampur Jattan, Trilokpur Road, Kala Amb, Dist. Sirmour.

## QUALITY CONTROL DEPARTMENT

### CERTIFICATE OF ANALYSIS

<b>Product Name</b> : NOR-ADR Sterile Noradrenaline Concentrate IP.	
<b>Batch No.</b> : A24G-06A	<b>Mfg. Date</b> : 07/2024
<b>Batch Size</b> : 100920 Ampoules	<b>Exp. Date</b> : 06/2026
<b>Sample Qty.</b> : 60 Ampoules	<b>Analytical Report No.:</b> MFP20240055
<b>Date of Receiving</b> : 08/07/2024	<b>Date of Completion</b> : 22/07/2024
<b>Mfg. License No.</b> : N-MB/18/201	

S. No.	Tests	Specifications	Observations	
1.	Description	A clear colourless or almost colorless solution filled in 2 ml amber colour glass ampoule.	A clear colourless or almost colorless solution filled in 2 ml amber colour glass ampoule.	
2.	Identification			
	By Chemically	A strong reddish violet colour should be produced.	A strong reddish colour produced.	
3.	Uniformity of filled volume	Not less than nominal volume	Min: 2.0 ml Max: 2.1 ml	
4.	Average fill volume	Not less than 2 ml	2.04 ml	
5.	pH	3.0 to 4.60	3.84	
6.	Particulate Matter			
	≥ 10µm	NMT 6000 particles/Ampoule	Less than 6000 particles/Ampoule	
	≥ 25µm	NMT 600 particles/Ampoule	Less than 600 particles/Ampoule	
7.	Sterility	Should be Sterile	Sterile	
8.	Bacterial Endotoxins	NMT 83.4 Eu/mg of noradrenaline.	Less than 83.4 Eu/mg	
9.	Assay : Each ml contains:-			
Composition:	Labeled Claim	Found	% of labeled amount	Limits % of labeled amount
Noradrenaline Bitartrate IP	2.0 mg	1.985 mg	99.25 %	90.0% to 115%

**Remarks:** In the opinion of the undersigned the sample submitted complies/~~does not comply~~ with the prescribed ~~standard/not standard~~ of quality, as according to I.P. and IHS with respect to the above test only.

Analyzed By QC Officer	Checked By QC Executive	Approved By QC Manager/ In-charge
Signature:- Date:-	Signature:- Date:-	Signature:- Date:-

Format No.: VH/SOP/QC-062/FT-01-00

