

Drug Lic. No.1838-B

INMAC LABORATORIES

V.P.O. Bangsipura, Jagraon Distt. Ludhiana (Punjab)

QUALITY CONTROL DEPARTMENT

CERTIFICATE OF ANALYSIS

Product Name: AMIXIN-500MG	A.R.No: FG/07/2024/1B
B.No: L-24G-1B	Lot Size: 55 LTR
Mfg.Dt.: 07-2024	Sample Qty: 5*2ML
Exp.Dt.: 06-2026	Dt.Of Sample: 01/07/2024


RESULT OF ANALYSIS

Test	Specification	Result
Description	CLEAR & COLOURLESS SOLUTION	Complies
Identification	Should be complies I.P/B.P/U.S.P	Complies
pH	3.5-5.5	4.5
Visible particulate matter	Should be complies	Complies
Extractable Volume	Should be complies	Complies
Sterility test	Should be complies	Complies
Bacterial Endotoxin	Should be complies	Complies

ASSAY- EACH ML CONTAINS.

Ingredients	Claim	Present	Limit
AMIKACIN SULPHATE I.P. eq to AMIKACIN BASE	500MG/2ML	498.3MG PER 2ML	450.0MG & 600.0MG

REMARK - In the opinion of under sign, the above said sample is standard/~~not of standard~~ quality as per above respect

Test by 

Date

16/07/2024

Incharge Quality Control 